Brain Research, 410 (1987) 409–412
Elsevier

Author Index

Albus, K., A neuronal subsystem in the cat's area 18 lacks retinotopy, 199
Abramsky, O., see Fishman, R.H.B., 343
Acosta, L., see Pohle, W., 245
Adam-Vizi, V., Banay-Schwartz, M., Wajda, I. and Lajtha, A., Depolarization of brain cortex slices and synaptosomes by lithium. Determination of K^+-equilibrium potential in cortex slices, 257
Affolter, H.-U., see Chesselet, M.-F., 83
Aihara, T., see Iwai, E., 121
Akaike, N., see Nagaoka, R., 283
Akema, T., see Kimura, F., 315
Albuquerque, E.X., see Allen, C.N., 159
Allen, C.N. and Albuquerque, E.X., Conductance properties of GABA-activated chloride currents recorded from cultured hippocampal neurons, 159
Altar, C.A. and Hauser, K., Topography of substantia nigra innervation by D_1 receptor-containing striatal neurons, 1
Anderson, W.W., see Schwartzwelder, H.S., 362
Ando-Yamamoto, M., Kiyama, H., Hayashi, H., Fukui, H., Tohyama, M., Watanabe, T. and Wada, H., Demonstration of histaminergic neurons in horizontal cells of guinea pig retina, 269
Angaut-Petit, D., see Molgo, J., 385
Antonini, A., see Minciacchi, D., 21
Arita, J., see Kimura, F., 315
Asano, M., see Sakaguchi, H., 380

Baldwin, B.A., see Thornton, S.N., 401
Banay-Schwartz, M., see Adam-Vizi, V., 257
Barman, S.M., see Gebber, G.L., 106
Beck, S.G., see Clarke, W.P., 357
Berliner, J.A., see Maxwell, K., 309
Bland, B.H., see Colom, L.V., 12
Broekkamp, C.L.E., see Hagan, J.J., 69
Bunney, B.S., see Chiodo, L.A., 205

Cahill, G.M. and Menaker, M., Kynurenic acid blocks suprachiasmatic nucleus responses to optic nerve stimulation, 125
Camardo, J.S., see Pollock, J.D., 367
Cancilla, P.A., see Maxwell, K., 309
Carpenter, C.L., see Greenberg, D.A., 143
Celio, MR., see Imboden, H., 74
Chen, K.S. and Stanfield, B.B., Evidence that selective collateral elimination during postnatal development results in a restriction in the distribution of locus coeruleus neurons which project to the spinal cord in rats, 154
Chesselet, M.-F. and Affolter, H.-U., Preprotachykinin messenger RNA detected by in situ hybridization in striatal neurons of the human brain, 83
Chiodo, L.A., Freeman A.S. and Bunney, B.S., Electrophysiological studies on the specificity of the cholecystokinin antagonist proglumide, 205
Chu, N.-S., see Keenan, C.L., 189
Ciaranello, R.D., see Wong, D.L., 32
Clarke, W.P., De Vivo, M., Beck, S.G., Maayani, S. and Goldfarb, J., Serotonin decreases population spike amplitude in hippocampal cells through a pertussis toxin substrate, 357
Cocco, E., see Panerai, A.E., 52
Colom, L.V., Ford, R.D. and Bland, B.H., Hippocampal formation neurons code the level of activation of the cholinergic septohippocampal pathway, 12

D'Amelio, F.E., Mehler, W.R., Gibbs, M.A., Eng, L.F. and Wu, J.-Y., Immunocytochemical localization of glutamic acid decarboxylase (GAD) and glutamine synthetase (GS) in the area postrema of the cat. Light and electron microscopy, 232
De Vivo, M., see Clarke, W.P., 357
Del Pilar Gutierrez, M., see Neary, J.T., 164
Duman, R.S., see Nomura, S., 195

Ebner, T.J., see Wang, J.-J., 323
Eng, L.F., see D'Amelio, F.E., 232
Enna, S.J., see Nomura, S., 195

Fanardjian, V.V., see Gorodnov, V.L., 340
Fehlings, M.G., see Midha, R., 299
Felix, D., see Harding, J.W., 130
Felix, D., see Imboden, H., 74
Fischer, J.A., see Henke, H., 404
Fishman, R.H.B., Pleet, A.B., Melamed, E. and Abramsky, O., Regional brain superoxide dismutase activity is altered differently by heat in warm and cool mice, 343
Ford, R.D., see Colom, L.V., 12
Freeman, A.S., see Chiodo, L.A., 205
Fukuda, H., see Hara, K., 371
Fukui, H., see Ando-Yamamoto, M., 269

Gebber, G.L., Barman, S.M. and Morrison, S.F., Electrophysiological evidence for the modular organization of the reticular formation: sympathetic controlling circuits, 106
Gibbs, M.A., see D'Amelio, F.E., 232
Goldfarb, J., see Clarke, W.P., 357
Gómez-Pinilla, F., see Villablanca, J.R., 219
Gordon, T., see Shapiro, J., 186
Gorodnov, V.L. and Fanardjian, V.V., Functional properties of the cerebellorubral synapses in the cat, 340
Greenberg, D.A., Carpenter, C.L. and Messing, R.O., Ethanol-induced component of $^{45}Ca^{2+}$ uptake in PC12 cells is sensitive to Ca^{2+} channel modulating drugs, 143
Guha, A., see Midha, R., 299
Gurtu, S., see Shapiro, J., 186

Hagan, J.J., Tonnaer, J.A.D.M., Rijk, H., Broekkamp, C.L.E. and Van Delft, A.M.L., Facilitation of amphetamine induced rotation by muscarinic antagonists is correlated with M_2 receptor affinity, 69
Hamamura, M., see Shibuki, K., 140
Hara, K., Tohyama, I., Kimura, H., Fukuda, H., Nakamura, S. and Kameyama, M., Reversible serotoninergic neurotoxicity of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in mouse striatum studied by neurochemical and

immunohistochemical approaches, 371
Harding, J.W. and Felix, D., Angiotensin-sensitive neurons in the rat paraventricular nucleus: relative potencies of angiotensin II and angiotensin III, 130
Harding, J.W., see Imboden, H., 74
Harrington, M.E., Nance, D.M. and Rusak, B., Double-labeling of neuropeptide Y-immunoreactive neurons which project from the geniculate to the suprachiasmatic nuclei, 275
Harris, J.C. and Newman, J.D., Mediation of separation distress by α_2-adrenergic mechanisms in a non-human primate, 353
Hauser, K., see Altar, C.A., 1
Hayashi, E., see Yamada, S., 212
Hayashi, H., see Ando-Yamamoto, M., 269
Henke, H., Sigrist, S., Lang, W., Schneider, J. and Fischer, J.A., Comparison of binding sites for the calcitonin gene-related peptides I and II in man, 404
Hikosaka, K., see Iwai, E., 121
Hilgenfeldt, U., see Imboden, H., 74
Hökfelt, T., see Millhorn, D.E., 179

Imboden, H., Harding, J.W., Hilgenfeldt, U., Celio, M.R. and Felix, D., Localization of angiotensinogen in multiple cell types of rat brain, 74
Inoue, Y., see Terashima, T., 97
Ishikawa, S., see Shibuki, K., 140
Issekutz, B., see Szerb, J.C., 116
Iwai, E., Aihara, T. and Hikosaka, K., Inferotemporal neurons of the monkey responsive to auditory signal, 121

Kagawa, Y., see Yamada, S., 212
Kameyama, M., see Hara, K., 371
Karasawa, N., see Yoshida, M., 169
Katada, T., see Terashima, T., 97
Kavaliers, M., Evidence for opioid and non-opioid forms of stress-induced analgesia in the snail, *Cepaea nemoralis*, 111
Kawamura, N., see Seto-Ohshima, A., 292
Keenan, C.L. and Chu, N.-S., Thermosensitivity of dorsal raphe neurons in vitro, 189
Kim, J.H., see Wang, J.-J., 323
Kimura, F., Mitsugi, N., Arita, J., Akema, T. and Yoshida, K., Effects of preoptic injections of gastrin, cholecystokinin, secretin, vasoactive intestinal peptide and PHI on the secretion of luteinizing hormone and prolactin in ovariectomized estrogen-primed rats, 315
Kimura, H., see Hara, K., 371
Kitajima, S., see Seto-Ohshima, A., 292
Kiyama, H., see Ando-Yamamoto, M., 269
Koyano, H., see Sato, M., 101
Kraig, R.P. and Wagner, R.J., Acid-induced changes of brain protein buffering, 390
Krug, M., see Pohle, W., 245

Lajtha, A., see Adam-Vizi, V., 257
Lamm, M.C.L., see Russell, V.A., 78
Landfield, P.W., see Pitler, T.A., 147
Lang, W., see Henke, H., 404
Lewis, D.V., see Schwartzwelder, H.S., 362

Maayani, S., see Clarke, W.P., 357
MacDonald, J.F., see Schneiderman, J.H., 174
Macagno, E.R., see Peinado, A., 330
Macagno, E.R., see Peinado, A., 335
Maisch, B., see Morton, C.R., 347
Mantegazza, P., see Panerai, A.E., 52
Maruyama, T., see Nagaoka, R., 283
Matthies, H., see Pohle, W., 245
Maxwell, K., Berliner, J.A. and Cancilla, P.A., Induction of γ-glutamyl transpeptidase in cultured cerebral endothelial cells by a product released by astrocytes, 309
Mehler, W.R., see D'Amelio, F.E., 232
Melamed, E., see Fishman, R.H.B., 343
Menaker, M., see Cahill, G.M., 125
Messing, R.O., see Greenberg, D.A., 143
Midha, R., Fehlings, M.G., Tator, C.H., Saint-Cyr, J.A. and Guha, A., Assessment of spinal cord injury by counting corticospinal and rubrospinal neurons, 299
Millhorn, D.E., Hökfelt, T., Seroogy, K., Oertel, W., Verhofstad, A.A.J. and Wu, J.-Y., Immunohistochemical evidence for colocalization of γ-aminobutyric acid and serotonin in neurons of the ventral medulla oblongata projecting to the spinal cord, 179
Minciacchi, D., Tassinari, G. and Antonini, A., Visual and somatosensory integration in the anterior ectosylvian cortex of the cat, 21
Mitsugi, N., see Kimura, F., 315
Molgo, J., Angaut-Petit, D. and Thesleff, S., In botulinum type A-poisoned frog motor endings ouabain induces phasic transmitter release through Na^+–Ca^{2+} exchange, 385
Morrison, S.F., see Gebber, G.L., 106
Morton, C.R., Maisch, B. and Zimmerman, M., Diffuse noxious inhibitory controls of lumbar spinal neurons involve a supraspinal loop in the cat, 347

Nagaoka, R., Yamashita, S., Maruyama, T. and Akaike, N., Active sodium-potassium transports in skeletal muscles of deoxycorticosterone hypertensive rats, 283
Nagata, Y., see Seto-Ohshima, A., 292
Nagatsu, I., see Yoshida, M., 169
Nagatsu, T., see Yoshida, M., 169
Nakamura, S., see Hara, K., 371
Nance, D.M., see Harrington, M.E., 275
Neary, J.T., Del Pilar Gutierrez, M., Norenberg, L.-O.B. and Norenberg, M.D., Protein phosphorylation in primary astrocyte cultures treated with and without dibutyryl cyclic AMP, 164
Newman, J.D., see Harris, J.C., 353
Nomura, S., Duman, R.S. and Enna, S.J., In vivo or in vitro exposure to imipramine reduces α_2-adrenoceptor-mediated inhibition of cyclic AMP production in rat brain cerebral cortical slices, 195
Norenberg, L.-O.B., see Neary, J.T., 164
Norenberg, M.D., see Neary, J.T., 164
Nunn, P.B., Seelig, M., Zagoren, J.C. and Spencer, P.S., Stereospecific acute neuronotoxicity of 'uncommon' plant amino acids linked to human motor-system disease, 375
Nurse, B., see Russell, V.A., 78

Oertel, W., see Millhorn, D.E., 179
Oinuma, M., see Terashima, T., 97
Oka, Y., see Takei, K., 395
Onaka, T., see Shibuki, K., 140
Oropeza, R.L., Wekerle, H. and Werb, Z., Expression of apolipoprotein E by mouse brain astrocytes and its modulation by interferon-γ, 45
Oyama, Y., Some membrane characteristics of single isolated nodose ganglion cells studied under current and voltage clamp conditions, 61

Panerai, A.E., Rovati, L.C., Cocco, E., Sacerdote, P. and Mantegazza, P., Dissociation of tolerance and dependence to morphine: a possible role for cholecystokinin, 52
Peinado, A., Macagno, E.R. and Zipser, B., A group of related surface glycoproteins distinguish sets and subsets of sensory afferents in the leech nervous system, 335
Peinado, A., Zipser, B. and Macagno, E.R., Regeneration of afferent axons into discrete tracts within peripheral nerves in the leech, 330
Pitler, T.A. and Landfield, P.W., Probable Ca^{2+}-mediated inactivation of Ca^{2+} currents in mammalian brain neurons, 147
Pleet, A.B., see Fishman, R.H.B., 343
Pohle, W., Acosta, L., Rüthrich, H., Krug, M. and Matthies, H., Incorporation of [^{3}H]fucose in rat hippocampal structures after conditioning by performant path stimulation and after LTP-producing tetanization, 245
Pollock, J.D. and Camardo, J.S., Regulation of single potassium channels by serotonin in the cell bodies of the tail mechanosensory neurons of *Aplysia californica*, 367

Rehavi, M., Sepcuti, H. and Weizman, A., Upregulation of imipramine binding and serotonin uptake by estradiol in female rat brain, 135
Rijk, H., see Hagan, J.J., 69
Rovati, L.C., see Panerai, A.E., 52
Rusak, B., see Harrington, M.E., 275
Russell, V.A., Nurse, B., Lamm, M.C.L. and Taljaard, J.J.F., Effect of chronic antidepressant treatment on noradrenergic modulation of [^{3}H]dopamine release from rat nucleus accumbens and striatal slices, 78
Rüthrich, H., see Pohle, W., 245

Sacerdote, P., see Panerai, A.E., 52
Saint-Cyr, J.A., see Midha, R., 299
Saito, N., see Sakaguchi, H., 380
Saito, T., see Shibuki, K., 140
Sakaguchi, H., Asano, M., Yamamoto, K. and Saito, N., Release of endogenous γ-aminobutyric acid from vocalization nucleus, the robust nucleus of the archistriatum of zebra finch in vitro, 380
Sakai, M., see Yoshida, M., 169
Sano, M., see Seto-Ohshima, A., 292
Sato, M. and Koyano, H., Autoradiographic demonstration of the distribution of vagal afferent nerve fibers in the epiglottis of the rabbit, 101
Satou, M., see Takei, K., 395
Schneider, J., see Henke, H., 404
Schneiderman, J.H. and MacDonald, J.F., Effects of reduced magnesium on hippocampal synchrony, 174
Schwartzwelder, H.S., Lewis, D.V., Anderson, W.W. and Wilson, W.A., Seizure-like events in brain slices: suppression by interictal activity, 362
Seelig, M., see Nunn, P.B., 375
Sepcuti, H., see Rehavi, M., 135
Seroogy, K., see Millhorn, D.E., 179
Seto-Ohshima, A., Sano, M., Kitajima, S., Kawamura, N., Yamazaki, Y. and Nagata, Y., The effect of axotomy and denervation on calmodulin content in the superior cervical sympathetic ganglion of the rat, 292
Shapiro, J., Gurtu, S., Gordon, T. and Smith, P.A., Axotomy increases the conduction velocity of C-cells in bullfrog sympathetic ganglia, 186
Sharman, D.F., see Thornton, S.N., 401
Shibuki, K., Onaka, T., Hamamura, M., Yagi, K., Ishikawa, S., Saito, T. and Yoshida, S., Synergistic interactions between footshocks and non-osmotic hypovolemia on vasopressin secretion in rats, 140
Siegel, D.A., see Walkley, S.U., 89
Sigrist, S., see Henke, H., 404
Smith, P.A., see Shapiro, J., 186
Spencer, P.S., see Nunn, P.B., 375
Stanfield, B.B., see Chen, K.S., 154
Stehouwer, D.J., Compensatory eye movements produced during fictive swimming of a deafferented, reduced preparation in vitro, 264
Szerb, J.C. and Issekutz, B., Increase in the stimulation-induced overflow of glutamate by fluoroacetate, a selective inhibitor of the glial tricarboxylic cycle, 116

Takayanagi, N., see Yamada, S., 212
Takei, K., Oka, Y., Satou, M. and Ueda, K., Distribution of motoneurons involved in the prey-catching behavior in the Japanese toad, *Bufo japonicus*, 395
Taljaard, J.J.F., see Russell, V.A., 78
Tassinari, G., see Minciacchi, D., 21
Tator, C.H., see Midha, R., 299
Teramura, M., see Yoshida, M., 169
Terashima, T., Katada, T., Oinuma, M., Inoue, Y. and Ui, M., Immunohistochemical localization of guanine nucleotide-binding protein in rat retina, 97
Thesleff, S., see Molgo, J., 385
Thornton, S.N., Sharman, D.F. and Baldwin, B.A., Intracerebroventricular dopamine attenuates sodium-induced but not angiotensin-induced drinking in minipigs, 401
Tohyama, I., see Hara, K., 371
Tohyama, M., see Ando-Yamamoto, M., 269
Tomita, T., see Yamada, S., 212
Tonnaer, J.A.D.M., see Hagan, J.J., 69

Ueda, K., see Takei, K., 395
Ui, M., see Terashima, T., 97
Ushijima, H., see Yamada, S., 212

Van Delft, A.M.L., see Hagan, J.J., 69
Verhofstad, A.A.J., see Millhorn, D.E., 179
Villablanca, J.R. and Gómez-Pinilla, F., Novel crossed corticothalamic projections after neonatal cerebral hemispherectomy. A quantitative autoradiography study in cats, 219

Wada, H., see Ando-Yamamoto, M., 269
Wagner, R.J., see Kraig, R.P., 390
Wajda, I., see Adam-Vizi, V., 257
Walkley, S.U., Wurzelmann, S. and Siegel, D.A., Ectopic axon hillock-associated neurite growth is maintained in metabolically reversed swainsonine-induced neuronal storage disease, 89
Wang, J.-J., Kim, J.H. and Ebner, T.J., Climbing fiber afferent modulation during visually guided, multi-joint arm movement in the monkey, 323
Watanabe, T., see Ando-Yamamoto, M., 269
Weizman, A., see Rehavi, M., 135
Wekerle, H., see Oropeza, R.L., 45
Werb, Z., see Oropeza, R.L., 45
Wilson, W.A., see Schwartzwelder, H.S., 362
Wong, D.L., Yamasaki, L. and Ciaranello, R.D., Characterization of the isozymes of bovine adrenal medullary phenylethanolamine *N*-methyltransferase, 32
Wu, J.-Y., see D'Amelio, F.E., 232

Wu, J.-Y., see Millhorn, D.E., 179
Wurzelmann, S., see Walkley, S.U., 89

Yagi, K., see Shibuki, K., 140
Yamada, S., Kagawa, Y., Ushijima, H., Takayanagi, N., Tomita, T. and Hayashi, E., Brain nicotinic cholinoceptor binding in spontaneous hypertension, 212
Yamamoto, K., see Sakaguchi, H., 380
Yamasaki, L., see Wong, D.L., 32
Yamashita, S., see Nagaoka, R., 283
Yamazaki, Y., see Seto-Ohshima, A., 292
Yoshida, K., see Kimura, F., 315
Yoshida, M., Teramura, M., Sakai, M., Karasawa, N., Nagatsu, T. and Nagatsu, I., Immunohistochemical visualization of glutamate- and aspartate-containing nerve terminal pools in the rat limbic structures, 169
Yoshida, S., see Shibuki, K., 140

Zagoren, J.C., see Nunn, P.B., 375
Zimmerman, M., see Morton, C.R., 347
Zipser, B., see Peinado, A., 330
Zipser, B., see Peinado, A., 335

(contents continued)

Regional brain superoxide dismutase activity is altered differently by heat in warm and cool mice (BRE 22180)
by R.H.B. Fishman, A.B. Pleet, E. Melamed and O. Abramsky (Israel) 343
Diffuse noxious inhibitory controls of lumbar spinal neurons involve a supraspinal loop in the cat (BRE 22241)
by C.R. Morton, B. Maisch and M. Zimmerman (F.R.G.) 347
Mediation of separation distress by α_2-adrenergic mechanisms in a non-human primate (BRE 22242)
by J.C. Harris and J.D. Newman (U.S.A.) 353
Serotonin decreases population spike amplitude in hippocampal cells through a pertussis toxin substrate (BRE 22243)
by W.P. Clarke, M. De Vivo, S.G. Beck, S. Maayani and J. Goldfarb (U.S.A.) 357
Seizure-like events in brain slices: suppression by interictal activity (BRE 22244)
by H.S. Schwartzwelder, D.V. Lewis, W.W. Anderson and W.A. Wilson (U.S.A.) 362
Regulation of single potassium channels by serotonin in the cell bodies of the tail mechanosensory neurons of *Aplysia californica* (BRE 22245)
by J.D. Pollock and J.S. Camardo (U.S.A.) 367
Reversible serotoninergic neurotoxicity of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in mouse striatum studied by neurochemical and immunohistochemical approaches (BRE 22246)
by K. Hara, I. Tohyama, H. Kimura, H. Fukuda, S. Nakamura and M. Kameyama (Japan) 371
Stereospecific acute neuronotoxicity of 'uncommon' plant amino acids linked to human motor-system diseases (BRE 22249)
by P.B. Nunn, M. Seelig, J.C. Zagoren and P.S. Spencer (U.S.A. and U.K.) 375
Release of endogenous γ-aminobutyric acid from vocalization nucleus, the robust nucleus of the archistriatum of zebra finch in vitro (BRE 22247)
by H. Sakaguchi, M. Asano, K. Yamamoto and N. Saito (Japan) 380
In botulinum type A-poisoned frog motor endings ouabain induces phasic transmitter release through Na^+–Ca^{2+} exchange (BRE 22250)
by J. Molgo, D. Angaut-Petit and S. Thesleff (France and Sweden) 385
Acid-induced changes of brain protein buffering (BRE 22258)
by R.P. Kraig and R.J. Wagner (U.S.A.) 390
Distribution of motoneurons involved in the prey-catching behavior in the Japanese toad, *Bufo japonicus* (BRE 22255)
by K. Takei, Y. Oka, M. Satou and K. Ueda (Japan) 395
Intracerebroventricular dopamine attenuates sodium-induced but not angiotensin-induced drinking in minipigs (BRE 22261)
by S.N. Thornton, D.F. Sharman and B.A. Baldwin (U.K.) 401
Comparison of binding sites for the calcitonin gene-related peptides I and II in man (BRE 22262)
by H. Henke, S. Sigrist, W. Lang, J. Schneider and J.A. Fischer (Switzerland) 404

Author Index 409